

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C

C





B

B

A

A

R7 INSULATION VALUE STANDARD, HIGHER R VALUES AVAILABLE



THREE POINT LATCH WITH KEYED LOCKABLE TURN HANDLE

4IN WIDE EXTERNAL MOUNTING FLANGE

304SS HINGES AND EXTERNAL HARDWARE

20 MIL POLYESTER GELCOAT BEIGE COLOR STANDARD. OTHER COLORS OPTIONAL

OPTIONAL FEATURES:

- 3/8" THICK INTEGRAL FIBERGLASS FLOOR
- EQUIPMENT MOUNTING BOARD
- 110V, 60W INCANDESCENT LIGHT WITH WALL SWITCH
- VENTILATION FAN, 60CFM WITH REMOTE THERMOSTAT
- BASEBOARD 500W ELECTRIC HEATER W INTEGRAL THERMOSTAT
- 110/220V LOAD CENTER WITH 100A MAIN AND 4X 20A BREAKERS
- 12"X12" WINDOW IN DOOR

CUSTOM CONFIGURATIONS AVAILABLE!

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VIRTUAL POLYMER COMPOUNDS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VIRTUAL POLYMER COMPOUNDS IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	CD 8/17/2020
		TOLERANCES:		CHECKED	---
		FRACTIONAL ±		ENG APPR.	---
		ANGULAR: MACH ± BEND ±		MFG APPR.	---
		TWO PLACE DECIMAL ±		Q.A.	---
		THREE PLACE DECIMAL ±		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL:			
		FINISH:			
NEXT ASSY	USED ON	APPLICATION			
		DO NOT SCALE DRAWING			

VPC FIBERGLASS		Virtual Polymer Compounds VPC Fiberglass vpcfiberglass.com 1100 S. 117th St. E. #1005 F. 118.542.6790 9477 E. 117th St. #1005, S.F. 94705	
TITLE: ENDURO MODEL 600 FIBERGLASS ENCLOSURE			
SIZE	DWG. NO.	REV	
B	M600	-	
SCALE:	WEIGHT:	SHEET 1 OF 3	

8

7

6

5

4

3

2

1

F

E

D

C

B

A

F




E

D


C

B


A




SECTION A-A



SECTION A-A



SECTION B-B



SECTION B-B

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VIRTUAL POLYMER COMPOUNDS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VIRTUAL POLYMER COMPOUNDS IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	CD 8/17/2020
		TOLERANCES:		CHECKED	---
		FRACTIONAL \pm		ENG APPR.	---
		ANGULAR: MACH \pm BEND \pm		MFG APPR.	---
		TWO PLACE DECIMAL \pm		Q.A.	---
		THREE PLACE DECIMAL \pm		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL:			
		FINISH:			
NEXT ASSY	USED ON	DO NOT SCALE DRAWING			
APPLICATION					



TITLE:
ENDURO MODEL 600 FIBERGLASS ENCLOSURE

SIZE	DWG. NO.	REV
B	M600	-
SCALE:	WEIGHT:	SHEET 2 OF 3

8

7

6

5

4

3

2

1

8

7

6

5

4

3

2

1

F

E

D

C

B

A

F


E

D


C

B

A



DOOR CLEAR OPENING



DOOR SWING

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VIRTUAL POLYMER COMPOUNDS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VIRTUAL POLYMER COMPOUNDS IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	 <small>Virtual Polymer Compounds VPC Fiberglass vpcfiberglass.com 11065, 112, 9065 E 116, 512, 6190 9477 E. 117th St. Mesa, AZ 8405</small>	
		DIMENSIONS ARE IN INCHES		DRAWN	CD		8/17/2020
		TOLERANCES:		CHECKED	---		---
		FRACTIONAL ±		ENG APPR.	---		---
		ANGULAR: MACH ± BEND ±		MFG APPR.	---		---
		TWO PLACE DECIMAL ±		Q.A.	---	---	
		THREE PLACE DECIMAL ±		COMMENTS:			
		INTERPRET GEOMETRIC TOLERANCING PER:					
		MATERIAL:					
		FINISH:					
NEXT ASSY	USED ON						
APPLICATION		DO NOT SCALE DRAWING					
				SIZE	DWG. NO.	REV	
				B	M600	-	
				SCALE:	WEIGHT:	SHEET 3 OF 3	

8

7

6

5

4

3

2

1